



SAFETY DATA SHEET

Revision date 15-Jun-2025

Version 3

Page 1 / 14

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Product Code(s) PZ02916
Trade Name: CHROMIUM (Chromic Chloride Injection, USP)
Chemical Family: Not determined

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Pharmaceutical product

1.3. Details of the supplier of the safety data sheet

Hospira, A Pfizer Company
275 North Field Drive
Lake Forest, Illinois 60045
1-800-879-3477

Pfizer Ireland Pharmaceuticals
OSG Building
Ringaskiddy, Co. Cork.
Ireland
+353 21 4378701

E-mail address pfizer-MSDS@pfizer.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300 International Chemtrec (24 hours):+1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified as hazardous.

OSHA Classification

Hazards not otherwise classified (HNOC)

Not applicable

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

Not applicable

2.2. Label elements

Signal word Not classified

Hazard statements Not classified in accordance with international standards for workplace safety.

2.3. Other hazards

Other hazards An Occupational Exposure Value has been established for one or more of the ingredients (see Section 8).

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 2 / 14

Version 3

PBT & vPvB

The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substances

Not applicable

3.2 Mixtures

Hazardous

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Chromic chloride (CAS #: 10025-73-7)	0.002		233-038-3	Acute Tox. 4 (H302)	Not classified	No data available	No data available
Sodium hydroxide (CAS #: 1310-73-2)	**	-	215-185-5 (011-002-00-6)	Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C≥5% Skin Corr. 1B :: 2%≤C<5% Skin Irrit. 2 :: 0.5%≤C<2%	No data available	No data available
+ Hydrochloric Acid (CAS #: 7647-01-0)	**	-	231-595-7 (017-002-00-2) (017-002-01-X)	Press. Gas Skin Corr. 1A (H314) Acute Tox. 3 (H331)	Eye Irrit. 2 :: 10%≤C<25% Skin Corr. 1B :: C≥25% Skin Irrit. 2 :: 10%≤C<25% STOT SE 3 :: C≥10%	No data available	No data available

NonHazardous

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
SODIUM CHLORIDE (CAS #: 7647-14-5)	*	-	231-598-3	Not classified	Not classified	No data available	No data available

Full text of H- and EUH-phrases: see section 16

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 3 / 14

Version 3

Acute Toxicity Estimate No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Chromic chloride 10025-73-7	1870	No data available	No data available	No data available	No data available
Sodium hydroxide 1310-73-2	325	1350	No data available	No data available	No data available
SODIUM CHLORIDE 7647-14-5	3550	10000	No data available	No data available	No data available
+ Hydrochloric Acid 7647-01-0	238	5010	No data available	No data available	563.3022

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

Additional information

* Proprietary

** to adjust pH

+ Substance with a Union workplace exposure limit

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret. Non-hazardous ingredients provided for completeness.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Remove to fresh air. Seek immediate medical attention/advice.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects	For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	None.
--------------------	-------

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire.
------------------------------	--

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 4 / 14

Version 3

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Fine particles (such as dust and mists) may fuel fires/explosions.

Hazardous combustion products Formation of toxic gases is possible during heating or fire.

Explosion data

Sensitivity to mechanical impact No information available.

Sensitivity to static discharge No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Avoid breathing mist or aerosols. Avoid contact with skin, eyes or clothing. When handling, use appropriate personal protective equipment (see Section 8). Releases to the environment should be avoided. Wash thoroughly after handling. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store as directed by product packaging.

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 5 / 14

Version 3

7.3. Specific end use(s)

Specific use(s) Pharmaceutical drug product.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Refer to available public information for specific member state Occupational Exposure Limits.

Chromic chloride

Pfizer OEL TWA-8 Hr: 500 µg/m³

Chromic chloride

Czech Republic

0.5 mg/m³

Ceiling: 1.5 mg/m³

Estonia

TWA: 2 mg/m³;

Finland

TWA: 0.5 mg/m³;

Germany DFG

DS

Germany TRGS

TWA-AGW; 2 mg/m³ (exposure factor 1); inhalable fraction

Germany DFG

0.6 µg/L - BAR (end of exposure or end of shift) urine

Hungary

TWA-AK: 0.5 mg/m³;

TWA-AK: 2 mg/m³;

STEL-CK: 2 mg/m³;

S

Ireland

TWA: 2 mg/m³;

STEL: 6 mg/m³ (calculated);

Latvia

TWA: 2 mg/m³;

Netherlands

TWA: 0.06 mg/m³;

Poland

TWA-NDS: 0.5 mg/m³;

Romania

TWA: 0.5 mg/m³;

Switzerland

TWA-MAK: 0.5 mg/m³; inhalable dust

S

OSHA PEL

TWA: 0.5 mg/m³ Cr

(vacated) TWA: 0.5 mg/m³ Cr

United Kingdom

TWA: 0.5 mg/m³;

STEL: 1.5 mg/m³;

Sodium hydroxide

ACGIH OEL (Ceiling)

2 mg/m³

ACGIH TLV

Ceiling: 2 mg/m³

Austria

TWA-TMW: 2 mg/m³; inhalable fraction

STEL-KZGW: 4 mg/m³ (8 X 5 min); inhalable fraction

Bulgaria

TWA: 2.0 mg/m³; alkaline aerosols

Czech Republic

1 mg/m³

Ceiling: 2 mg/m³

Denmark

Ceiling: 2 mg/m³;

Estonia

TWA: 1 mg/m³;

STEL: 2 mg/m³;

Finland

Ceiling: 2 mg/m³;

France

2 mg/m³

Hungary

TWA-AK: 1 mg/m³;

STEL-CK: 2 mg/m³;

Ireland

STEL: 2 mg/m³;

Ceiling Limit Value

2 mg/m³

Latvia

TWA: 0.5 mg/m³;

Poland

TWA-NDS: 0.5 mg/m³;

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 6 / 14

Version 3

Romania	STEL-NDSch: 1 mg/m ³ ; TWA: 1 mg/m ³ ; STEL: 3 mg/m ³ ;
Slovakia	TWA: 2 mg/m ³ ;
Spain	STEL (VLA-EC): 2 mg/m ³ ;
Switzerland	TWA-MAK: 2 mg/m ³ ; inhalable dust STEL-KZGW: 2 mg/m ³ ; inhalable dust
OSHA PEL	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ STEL: 2 mg/m ³ ;
United Kingdom	
SODIUM CHLORIDE	
Latvia	TWA: 5 mg/m ³ ;
Russia	MAC: 5 mg/m ³
+ Hydrochloric Acid	
ACGIH OEL (Ceiling)	2 ppm
ACGIH TLV	Ceiling: 2 ppm
Austria	TWA-TMW: 5 ppm; TWA-TMW: 8 mg/m ³ ; STEL-KZGW: 10 ppm (8 X 5 min); STEL-KZGW: 15 mg/m ³ (8 X 5 min);
Bulgaria	TWA: 5 ppm; TWA: 8.0 mg/m ³ ; STEL: 10 ppm; STEL: 15.0 mg/m ³ ;
Czech Republic	8 mg/m ³ Ceiling: 15 mg/m ³
Denmark	STEL: 5 ppm; STEL: 8 mg/m ³ ;
Estonia	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
European Union	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Finland	STEL: 5 ppm; STEL: 7.6 mg/m ³ ;
Germany DFG	TWA-MAK: 2 ppm; I(2); TWA-MAK: 3.0 mg/m ³ ; I(2); Peak: 4 ppm; Peak: 6 mg/m ³ ;
Germany TRGS	TWA-AGW; 2 ppm (exposure factor 2); TWA-AGW; 3 mg/m ³ (exposure factor 2);
Hungary	TWA-AK: 8 mg/m ³ ; TWA-AK: 5 ppm; STEL-CK: 165 mg/m ³ ; STEL-CK: 10 ppm;
Ireland	TWA: 8 mg/m ³ ; TWA: 5 ppm; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Italy MDLPS	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Ceiling Limit Value	2 ppm

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 7 / 14

Version 3

Latvia	3.0 mg/m ³ TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Netherlands	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Poland	TWA-NDS: 5 mg/m ³ ; STEL-NDSch: 10 mg/m ³ ;
Romania	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;
Russia	MAC: 5 mg/m ³
Slovakia	TWA: 5 ppm; TWA: 8.0 mg/m ³ ; Ceiling: 15 mg/m ³ ;
Spain	TWA-(VLA-ED): 5 ppm; TWA-(VLA-ED): 7.6 mg/m ³ ; STEL (VLA-EC): 10 ppm; STEL (VLA-EC): 15 mg/m ³ ;
Switzerland	TWA-MAK: 2 ppm; TWA-MAK: 3 mg/m ³ ; STEL-KZGW: 4 ppm; STEL-KZGW: 6 mg/m ³ ;
U.S. - OSHA - Final PELs - Ceiling Limits	5 ppm 7 mg/m ³
OSHA PEL	Ceiling: 5 ppm Ceiling: 7 mg/m ³ (vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³
United Kingdom	TWA: 1 ppm; gas and aerosol mist TWA: 2 mg/m ³ ; gas and aerosol mist STEL: 5 ppm; gas and aerosol mist STEL: 8 mg/m ³ ; gas and aerosol mist

Pfizer Occupational Exposure Band (OEB) Statement:

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

8.2. Exposure controls

Engineering controls

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Personal protective equipment

Refer to applicable national standards and regulations in the selection and use of personal

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 8 / 14

Version 3

protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and specific operational processes.

Eye/face protection	Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the standards in accordance with EN166, ANSI Z87.1 or international equivalent.).
Hand protection	Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is possible and for bulk processing operations. (Protective gloves must meet the standards in accordance with EN374, ASTM F1001 or international equivalent.).
Skin and body protection	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations. (Protective clothing must meet the standards in accordance with EN13982, ANSI 103 or international equivalent.).
Respiratory protection	Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international equivalent.).
Thermal hazards	No information available.
Environmental exposure controls	No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Solution
Physical state	Liquid
Color	Clear, colorless
Odor	No information available.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>
Melting point / freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability (solid, gas)	No data available
Lower and upper explosion limit/flammability limit	
Lower explosion limit	No data available
Upper explosion limit	No data available
Flash point	No data available
Autoignition temperature	No data available
Decomposition temperature	
SADT (°C)	No data available
pH	1.5-2.5
pH (as aqueous solution)	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Solubility	No data available
Vapor pressure	No data available
Density and/or relative density	No data available
Bulk density	No data available

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 9 / 14

Version 3

Liquid Density	No data available
Vapor density	No data available
Particle characteristics	
Particle Size	No information available
Particle Size Distribution	No information available

9.2. Other information

Molecular formula	Mixture
Molecular weight	Mixture

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact No information available.

Sensitivity to static discharge No information available.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No information available.

10.4. Conditions to avoid

Conditions to avoid Fine particles (such as dust and mists) may fuel fires/explosions.

10.5. Incompatible materials

Incompatible materials As a precautionary measure, keep away from strong oxidizers.

10.6. Hazardous decomposition products

Hazardous decomposition products No data available.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

General Information: The information included in this section describes the potential hazards of the individual ingredients

Known Clinical Effects: Individuals sensitive to this material or other materials in its chemical class may develop allergic reactions. Acute potential health effect could include skin and eye irritation, gastric irritation; nausea, vomiting and diarrhea (if swallowed), nose and throat irritation (if inhaled). Prolonged or repeated ingestion may cause kidney damage.

Acute toxicity	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 10 / 14

Version 3

Reproductive toxicity Based on available data, the classification criteria are not met.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.

Acute Toxicity: (Species, Route, End Point, Dose)

Chromic chloride

Rat Oral LD50 1790 mg/kg

Sodium hydroxide

Mouse IP LD50 40 mg/kg

SODIUM CHLORIDE

Rat Sub-tenon injection (eye) LC50/1hr > 42 g/m³

Rat Oral LD 50 3 g/kg

Mouse Oral LD 50 4 g/kg

Rabbit Dermal LD 50 > 10 g/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Chromic chloride	= 1870 mg/kg (Rat)	-	-
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
SODIUM CHLORIDE	= 3550 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 42 mg/L (Rat) 1 h
+ Hydrochloric Acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Sodium hydroxide

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Severe

+ Hydrochloric Acid

Skin irritation Severe

Eye irritation Severe

SODIUM CHLORIDE

Skin irritation Rabbit Mild

Eye irritation Rabbit Mild

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Chromic chloride

Bacterial Mutagenicity (Ames) *Salmonella* Negative

Mouse Lymphoma Assay Negative

+ Hydrochloric Acid

Bacterial Mutagenicity (Ames) *Salmonella* Negative

In Vivo Micronucleus Rat Negative

Carcinogenicity None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Chromic chloride

IARC

Group 3

+ Hydrochloric Acid

IARC

Group 3

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 11 / 14

Version 3

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. Releases to the environment should be avoided.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Chromic chloride	Not PBT/vPvB PBT assessment does not apply
Sodium hydroxide	Not PBT/vPvB PBT assessment does not apply
+ Hydrochloric Acid	Not PBT/vPvB PBT assessment does not apply
SODIUM CHLORIDE	Not PBT/vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 12 / 14

Version 3

Waste from residues/unused products

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Section 14: TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental Hazard(s):	Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chromic chloride

CERCLA/SARA Section 313 de minimus %	1.0 %
California Proposition 65	Not Listed
TSCA	Present
EINECS	233-038-3
AICS	Present

Sodium hydroxide

CERCLA/SARA Section 313 de minimus %	Not Listed
Hazardous Substances RQs	1000 lb
California Proposition 65	Not Listed
TSCA	Present
EINECS	215-185-5
AICS	Present
Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)	Schedule 5 Schedule 6

SODIUM CHLORIDE

CERCLA/SARA Section 313 de minimus %	Not Listed
California Proposition 65	Not Listed
TSCA	Present
EINECS	231-598-3
AICS	Present

+ Hydrochloric Acid

CERCLA/SARA Section 313 de minimus %	1.0 %
Hazardous Substances RQs	5000 lb
California Proposition 65	Not Listed

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 13 / 14

Version 3

TSCA Present
EINECS 231-595-7
AICS Present
Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 5
Schedule 6

National regulations

Chemical name	French RG number
SODIUM CHLORIDE 7647-14-5	RG 78

Germany

Chemical Prohibition Ordinance (ChemVerbotsV)

Not applicable

Chemical name	Number	Class
Chromic chloride 10025-73-7	5.2.2	Class III

TRGS 905

Not applicable

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material Not applicable

WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable

Major Accidents Ordinance SR 814.012 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Sodium hydroxide 1310-73-2	75	-
+ Hydrochloric Acid 7647-01-0	75	-

Persistent Organic Pollutants

Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
+ Hydrochloric Acid 7647-01-0	25	250

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

Chemical name	EU - Plant Protection Products (1107/2009/EC)
---------------	---

SAFETY DATA SHEET

Product Name CHROMIUM (Chromic Chloride Injection, USP) (Hospira, Inc.)
Revision date 15-Jun-2025

Page 14 / 14

Version 3

SODIUM CHLORIDE 7647-14-5	Plant protection agent
Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
SODIUM CHLORIDE 7647-14-5	Product-type 1: Human hygiene
+ Hydrochloric Acid 7647-01-0	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals

Explosives Precursors Marketing and Use (2019/1148)

Not applicable

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H302 - Harmful if swallowed H331 - Toxic if inhaled H314 - Causes severe skin burns and eye damage

Data Sources: Publicly available toxicity information.

Reason for revision Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information.

Revision date 15-Jun-2025

Prepared By Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.