



Revision date 18-Mar-2023 Version 2 Page 1/15

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Diazepam Injection (Hospira, Inc.)

Product Code(s) PZ03411

Trade Name: Diazepam Injection, USP

Chemical Family: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Pharmaceutical product used as antianxiety agent

1.3. Details of the supplier of the safety data sheet

Hospira, A Pfizer Company 275 North Field Drive

Lake Forest, Illinois 60045

1-800-879-3477

Pfizer Ireland Pharmaceuticals

OSG Building

Ringaskiddy, Co. Cork.

Ireland

+353 21 4378701

E-mail address pfizer-MSDS@pfizer.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300 International Chemtrec (24 hours):+1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS - Classification: Regulated according to Regulation (EC) 1272/2008 and/or other applicable regulations.

Reproductive toxicity Category 2

Physical Hazards Flammable liquids Category 3 - (H226)

2.2. Label elements

Signal word Warning

Hazard statements H226 - Flammable liquid and vapor

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



An Occupational Exposure Value has been established for one or more of the ingredients (see Section 8).

Note:

Other hazards

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substances

Not applicable

3.2 Mixtures

Hazardous

Chemical name	Weight-%	REACH Registration Number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethyl alcohol (ethanol) (CAS #: 64-17-5)	8.98	-	200-578-6	Flam. Liq. 2 (H225)	Not Listed	No data available	No data available
Diazepam (CAS #: 439-14-5)	0.5		207-122-5	Acute Tox. 4 (H302)2 (H361)Acute 1 (H401)Chronic 2 (H411)	Not Listed	No data available	No data available
Benzoic acid (CAS #: 65-85-0)	< 1		200-618-2	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT RE 1 (H372)	Not Listed	No data available	No data available
BENZYL ALCOHOL	< 1		202-859-9	Acute Tox. 4	Not Listed	No data	No data

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

(CAS #: 100-51-6)				(H302) Acute Tox. 4 (H332)		available	available
NonHazardous							
Chemical name	Weight-%	REACH Registration Number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Water (CAS #: 7732-18-5)	*	-	231-791-2	Not classified as hazardous	Not Listed	No data available	No data available
Propylene glycol (CAS #: 57-55-6)	*		200-338-0	Not classified as hazardous	Not Listed	No data available	No data available
Sodium benzoate (CAS #: 532-32-1)	*		208-534-8	Not classified as hazardous	Not Listed	No data available	No data available

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Water 7732-18-5	89838.9	No data available	No data available	No data available	No data available
Propylene glycol 57-55-6	20000	20800	No data available	No data available	No data available
Ethyl alcohol (ethanol) 64-17-5	7060	No data available	116.9 133.8	No data available	No data available
Sodium benzoate 532-32-1	4070	No data available	No data available	No data available	No data available
Diazepam 439-14-5	249	No data available	No data available	No data available	No data available
Benzoic acid 65-85-0	1700	10000	12.2	No data available	No data available
BENZYL ALCOHOL 100-51-6	1230	2000	4.178	No data available	No data available

Additional information

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret. Non-hazardous ingredients provided for completeness.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Remove to fresh air. Seek immediate medical attention/advice.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

PZ03411

Page 3/15 Version 2

Revision date 18-Mar-2023 Version 2

medical attention.

Ingestion Never give anything by mouth to an unconscious person. Wash out mouth with water. Do

not induce vomiting unless directed by medical personnel. Seek medical attention

Page 4/15

immediately.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and

effects

For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians None.

Product Name Diazepam Injection (Hospira, Inc.)

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, carbon dioxide, water spray or alcohol-resistant foam.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Flammable liquid and vapor. Vapors will form flammable or explosive mixtures with air at

room temperature.

Hazardous combustion products Formation of toxic gases is possible during heating or fire. May include oxides of carbon.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using

explosion-proof equipment.

6.2. Environmental precautions

Environmental precautions Place waste in an appropriately labeled, sealed container for disposal. Care should be

taken to avoid environmental release.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean

spill area thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

Page 5/15

Version 2

Product Name Diazepam Injection (Hospira, Inc.)
Revision date 18-Mar-2023

7.1. Precautions for safe handling

Advice on safe handling

Keep away from heat, sparks, flame and all other sources of ignition. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store as directed by product packaging. Keep away from open flames, hot surfaces and

sources of ignition.

7.3. Specific end use(s)

Specific use(s) Pharmaceutical drug product.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Refer to available public information for specific member state Occupational Exposure Limits.

Diazepam

Pfizer OEL TWA-8 Hr: 7 µg/m³

BENZYL ALCOHOL

Pfizer OEL TWA-8 Hr: 10 ppm

Propylene glycol

Ireland 10 mg/m³ 150 ppm

150 ppm 470 mg/m³

STEL: 1410 mg/m³ STEL: 30 mg/m³

STEL: 450 ppm
Latvia 7 mg/m³
Poland 100 mg/m³
Russia MAC: 7 mg/m³
Lighted Kingdom TWA: 150 ppm

United Kingdom

TWA: 150 ppm

TWA: 474 mg/m³

TWA: 10 mg/m³

STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³

Ethyl alcohol (ethanol)

ACGIH TLV STEL: 1000 ppm

Austria 1000 ppm 1900 mg/m³ STEL 2000 ppm

STEL 2000 ppm STEL 3800 mg/m³ 1000 mg/m³

Bulgaria 1000 mg/m³
Czech Republic 1000 mg/m³
Czech Republic 2000 mg/m³

Ceiling: 3000 mg/m³

Denmark 1000 ppm

1900 mg/m³ 500 ppm

Estonia 500 ppm 1000 mg/m³

Product Name Diazepam Injection (Hospira, Inc.)
Revision date 18-Mar-2023

Revision date 18-Mar-2023 Version 2

STEL: 1000 ppm STEL: 1900 mg/m³ Finland 1000 ppm 1900 mg/m³ STEL: 1300 ppm

STEL: 2500 mg/m³
France 1900 mg/m³
Germany 200 ppm
380 mg/m³

Ceiling / Peak: 800 ppm

380 mg/m³

Page 6/15

Ceiling / Peak: 1520 mg/m³
Germany 200 ppm

 Hungary
 1900 mg/m³

 STEL: 3800 mg/m³

 Ireland
 STEL: 1000 ppm

 Latvia
 1000 mg/m³

Netherlands 260 mg/m³ STEL: 1900 mg/m³

STEL: 1900 mg/m³ H*

Poland 1900 mg/m³
Romania 1000 ppm
1900 mg/m³
STEL: 5000 ppm
STEL: 9500 mg/m³

 Russia
 TWA: 1000 mg/m³

 MAC: 2000 mg/m³

 Slovakia
 500 ppm

960 mg/m³
Spain STEL: 1000 ppm
STEL: 1010 mg/m³

STEL: 1910 mg/m³
Switzerland 500 ppm

960 mg/m³ STEL: 1000 ppm STEL: 1920 mg/m³

OSHA PEL 1000 ppm 1900 mg/m³

(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³ United Kingdom TWA: 1000 ppm

TWA: 1920 mg/m³ STEL: 3000 ppm STEL: 5760 mg/m³

Sodium benzoate

ACGIH - Skin Absorbers Skin - potential significant contribution to overall exposure by the

ACGIH TLV cutaneous route 2.5 mg/m³

 $\begin{array}{c} S^{*} \\ \text{Germany} \end{array}$

Ceiling / Peak: 20 mg/m³

Skin
Germany 10 mg/m³

Russia H*

Russia MAC: 5 mg/m³

Switzerland 0.2 ppm 1 mg/m³ 10 mg/m³

STEL: 4 mg/m³ STEL: 20 mg/m³

STEL: 0.8 ppm

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Version 2

H*

Diazepam

Bulgaria STEL: 0.5 mg/m³ 0.1 mg/m³

Benzoic acid

ACGIH - Skin Absorbers Skin - potential significant contribution to overall exposure by the

cutaneous route

ACGIH TLV 0.5 mg/m³

S*

0.1 ppm can occur as vapor and aerosol at the same time Germany

> 0.5 mg/m³ can occur as vapor and aerosol at the same time 0.39 ppm can occur as vapor and aerosol at the same time 2 mg/m³ can occur as vapor and aerosol at the same time

Page 7/15

Ceiling / Peak: 2 mg/m³ Ceiling / Peak: 0.4 ppm Ceiling / Peak: 0.78 ppm

Ceiling / Peak: 4 mg/m³ Skin

Germany 0.1 ppm 0.5 mg/m³

> H* 5 mg/m³ MAC: 5 mg/m³ 0.2 ppm

1 mg/m³ 10 mg/m³ STEL: 0.8 ppm STEL: 4 mg/m³ STEL: 20 mg/m³

H*

BENZYL ALCOHOL

Latvia

Russia

Switzerland

Bulgaria 5.0 mg/m³ Czech Republic 40 mg/m³

Ceiling: 80 mg/m³ Finland

10 ppm 45 mg/m3

Germany 22 mg/m³ can occur as vapor and aerosol at the same time

5 ppm can occur as vapor and aerosol at the same time

Ceiling / Peak: 44 mg/m³

Ceiling / Peak: 10 ppm

Skin Germany 5 ppm

22 mg/m³ H* 25 mg/m³

Ceiling Limit Value Latvia

5 mg/m³ 240 mg/m³ Poland Russia MAC: 5 mg/m³

Skin Switzerland 5 ppm 22 mg/m3

H*

8.2. Exposure controls

Engineering controls Engineering controls should be used as the primary means to control exposures. General

> room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Environmental exposure controls No information available.

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Revision date 18-Mar-2023 Version 2

Personal protective equipment Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in

Page 8 / 15

the workplace and specific operational processes.

Eye/face protection Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the

standards in accordance with EN166, ANSI Z87.1 or international equivalent.).

Hand protection Impervious disposable gloves (e.g. Nitrile, etc.) (double recommended) if skin contact with

drug product is possible and for bulk processing operations. (Protective gloves must meet the standards in accordance with EN374, ASTM F1001 or international equivalent.).

Skin and body protection Impervious disposable protective clothing is recommended if skin contact with drug product

is possible and for bulk processing operations. (Protective clothing must meet the standards in accordance with EN13982, ANSI 103 or international equivalent.).

Respiratory protection Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a full mask, P3 filter).

(Respirators must meet the standards in accordance with EN136, EN143, ASTM F2704-10

or international equivalent.)

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid

ColorClear, colorless to pale yellowOdorNo information available.Odor thresholdNo information available

Molecular formulaMixtureMolecular weightMixture

Property Values 6.2-6.9

Melting point / freezing point No data available

Boiling point / boiling range 98 **Flash point** 50

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Vapor pressureNo data availableVapor densityNo data availableRelative densityNo data available

Water solubility Soluble

Solubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data availableDynamic viscosityNo data available

Page 9/15

Revision date 18-Mar-2023 Version 2

Particle characteristics

Product Name Diazepam Injection (Hospira, Inc.)

Particle SizeNo information availableParticle Size DistributionNo information availableExplosive propertiesNo information available

9.2. Other information

No information available

9.2.1. Information with regard to physical hazard classes

No information available

Oxidizing properties None

9.2.2. Other safety characteristics

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No data available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact No data available. Sensitivity to Static Discharge No data available.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No information available.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, spark, flames and all other sources of ignition.

10.5. Incompatible materials

Incompatible materialsAs a precautionary measure, keep away from strong oxidizers.

10.6. Hazardous decomposition products

Hazardous decomposition products May form toxic materials such as carbon monoxide and carbon dioxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

General Information: There are no data for this formulation. The following information is available for the

individual ingredients.

Long Term: Animal studies have shown a potential to cause adverse effects on the fetus. Use of this

drug is habit forming. Addiction may occur.

Known Clinical Effects: Therapeutic use of this substance has resulted in weakness, dizziness, drowsiness, ataxia,

confusion, tremors, headache, and gastrointestinal disturbances. Based on available data, the classification criteria are not met.

Acute toxicity
Serious eye damage/eye irritation
Skin corrosion/irritation
Respiratory or skin sensitization
STOT - single exposure
STOT - repeated exposure

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Reproductive toxicity Classification is based on mixture calculation methods based on component data.

Germ cell mutagenicity

Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Acute Toxicity: (Species, Route, End Point, Dose)

Propylene glycol

Rat Oral LD 50 22,000 mg/kg Mouse Oral LD 50 24,900 mg/kg Rabbit Dermal LD 50 20,800 mg/kg

Ethyl alcohol (ethanol)

Mouse Oral LD50 3450 mg/kg Rat Oral LD50 7060 mg/kg Rat Inhalation LC50 10h 20,000 ppm

Sodium benzoate

Rat Oral LD50 4,070 mg/kg Mouse Oral LD50 1600 mg/kg

Diazepam

Rat Oral LD 50 710 mg/kg 32 mg/kg Rat Para-periosteal LD 50 Rat Intraperitoneal LD 50 46.5 mg/kg Mouse Oral LD 50 48 mg/kg Mouse Intravenous LD 50 25 mg/kg

Benzoic acid

Rat Oral LD 50 1700 mg/kg Mouse Oral LD 50 1940 mg/kg Rabbit Dermal LD50 > 5000 mg/kg Rat Inhalation LC50 > 0.026 mg/L

BENZYL ALCOHOL

Rat Oral LD 50 1230 mg/kg Mouse Oral LD 50 1360 mg/kg Rabbit Dermal LD 50 2 gm/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Ethyl alcohol (ethanol)	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h
Sodium benzoate	= 4070 mg/kg (Rat)	-	-
Diazepam	= 249 mg/kg (Rat)	-	-
Benzoic acid	= 1700 mg/kg (Rat)	> 10000 mg/kg(Rabbit)	> 12.2 mg/L (Rat) 4 h
BENZYL ALCOHOL	= 1230 mg/kg (Rat)	= 2 g/kg(Rabbit)	> 4178 mg/m³(Rat)4 h

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Propylene glycol

Skin irritation Rabbit Mild Eye irritation Rabbit Mild

Ethyl alcohol (ethanol)

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Benzoic acid

Skin Sensitization - GPMT Guinea Pig Negative

Page 11 / 15

Version 2

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Skin Sensitization - Beuhler Guinea Pig Negative

Eye Irritation Rabbit Severe

BENZYL ALCOHOL
Eye Irritation Rabbit Severe Skin Irritation Rabbit Minimal Skin Irritation Guinea Pig Moderate

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Sodium benzoate

10 Day(s) Rat Oral 27370 mg/kg LOAEL Liver, Blood

10 Day(s) Mouse Oral 45 g/kg LOAEL Liver, Kidney, Blood, Ureter, Bladder

Diazepam

6 Week(s) Mouse Oral 0.5 mg/kg LOAEL Male reproductive system

3 Month(s) Rat Oral 100 mg/kg/day NOAEL None identified

3 Month(s) Non-human Primate Oral 5 mg/kg/day LOAEL None identified

20 mg/kg/day LOAEL Liver 6 Month(s) Dog Oral

6 Month(s) Rat Oral 162 mg/kg/day LOAEL Kidney

Benzoic acid

250 Dav(s) Dog Oral 1000 mg/kg/day NOAEL None identified 18 Month(s) Mouse Oral 80 mg/kg/day NOAEL None identified

18 Month(s) Rat Oral 80 mg/kg/day NOAEL

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Sodium benzoate

Embryo / Fetal Development Rat Oral 44 g/kg LOEL Developmental toxicity

Diazepam

Embryo / Fetal Development Mouse Oral 100 mg/kg/day NOAEL Teratogenic, Fetotoxicity

Embryo / Fetal Development Rat Oral 100 mg/kg LOAEL Embryotoxicity
Embryo / Fetal Development Dog Oral 5 mg/kg/day NOAEL Not Teratogenic
Embryo / Fetal Development Hamster Intraperitoneal 280 mg/kg LOAEL Teratogenic

8 mg/kg NOAEL Not Teratogenic Embryo / Fetal Development Rabbit Oral

Benzoic acid

Reproductive & Fertility Rat Oral 5 mg/kg/day NOEL Fertility, Not teratogenic

Fertility and Embryonic Development Rat Oral 500 mg/kg/day NOAEL No effects at maximum dose

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Diazepam

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

In Vitro Micronucleus Mouse Positive

In Vivo Chromosome Aberration Mouse Negative

In Vivo Micronucleus Mouse Negative

In Vivo Direct DNA Damage Rat Negative

Benzoic acid

Bacterial Mutagenicity (Ames) Salmonella Negative

Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative

Sister Chromatid Exchange Human Lymphocytes Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s)) Diazepam

2 Year(s) Rat Liver, Tumors

2 Year(s) Mouse Not carcinogenic

2 Year(s) Hamster Not carcinogenic

80 Week(s) Male Mouse Oral 75 mg/kg/day LOAEL Malignant tumors

Carcinogenicity of the mixture has not been determined. Consumption of alcoholic Carcinogenicity

> beverages is considered carcinogenic to humans (Group 1) by IARC, though ethanol itself has not been classified by this agency. No other components are listed as carcinogens by

IARC, US OSHA or NTP.

Diazepam IARC

Group 3 (Not Classifiable)

Page 12 / 15

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Revision date 18-Mar-2023 Version 2

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

Environmental Overview: Releases to the environment should be avoided. Environmental properties have not been

thoroughly investigated.

12.1. Toxicity

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Ethyl alcohol (ethanol)

Oncorhynchus mykiss (Rainbow Trout) NPDES LC50 96 Hours 12,900 mg/L

Fingerling Trout NPDES LC50 24 Hours 11200 mg/L

Pimephales promelas (Fathead Minnow) NPDES LC50 96 Hours 14200 mg/L

Diazepam

Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 hours 84 mg/L
Oncorhynchus mykiss (Rainbow Trout) OECD NOEC 96 hours 50 mg/L
Desmodesmus subcapitata (Green Alga) OECD ErC50 72 hours 3.11 mg/L
Desmodesmus subcapitata (Green Alga) OECD NOEC 72 hours 0.1 mg/L

Benzoic acid

Daphnia magna (Water Flea) EC-50 24 hours 500 mg/L

Fish LC50 96 180 mg/L

BENZYL ALCOHOL

Pimephales promelas (Fathead Minnow) EPA LC50 96 hours 460 - 770 mg/L Daphnia magna (Water Flea) NPDES OECD EC50 48 Hours 230 mg/L

Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 hours 500 mg/L

Chronic Aquatic Toxicity: (Species, Method, Duration, Endpoint, Result, Adverse Endpoint)

Diazepam

Daphnia magna (Water Flea) OECD Day(s) NOEC 0.91 mg/L Reproduction Brachydanio rerio (Zebra fish) OECD 35 Day(s) NOEC 0.273 mg/L Survival

12.2. Persistence and degradability

Persistence and degradability

Biodegradation: (Method, Inoculum, Biodeg Study, Result, Endpoint, Duration, Classification)

BENZYL ALCOHOL

OECD Activated sludge Ready 92 % After 28 Day(s) Ready

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Volsali

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Propylene glycol	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Ethyl alcohol (ethanol)	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Sodium benzoate	The substance is not PBT / vPvB	
Benzoic acid	The substance is not PBT / vPvB	
BENZYL ALCOHOL	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Section 14: TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations. Aqueous products containing alcohol at 24 percent or less are not subject to the requirements of the EU ADR, IATA, or IMDG. They are similarly exempt from US DOT requirements provided that they contain no less than 50 percent water.

UN number:
UN proper shipping name:
Not applicable
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for user: Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water

CERCLA/SARA Section 313 de minimus % Not Listed
California Proposition 65 Not Listed
TSCA Present

PZ03411

Page 13 / 15 Version 2

Product Name Diazepam Injection (Hospira, Inc.)
Revision date 18-Mar-2023

EINECS 231-791-2 AICS Present

Propylene glycol

CERCLA/SARA Section 313 de minimus % Not Listed California Proposition 65 Not Listed TSCA Present EINECS 200-338-0 AICS

Ethyl alcohol (ethanol)

CERCLA/SARA Section 313 de minimus % Not Listed

California Proposition 65 carcinogen 7/1/1988 when associated with alcohol abuse

carcinogen 4/29/2011

developmental toxicity 10/1/1987

Page 14 / 15

Version 2

TSCA Present
EINECS 200-578-6
AICS Present

Sodium benzoate

CERCLA/SARA Section 313 de minimus % Not Listed California Proposition 65 Not Listed TSCA Present EINECS 208-534-8 AICS Present

Diazepam

CERCLA/SARA Section 313 de minimus % Not Listed

California Proposition 65 developmental toxicity 1/1/1992

developmental toxicity 10/1/1992 Schedule IV Controlled Substance

Schedule 4

U.S. - DEA (Drug Enforcement Administration)
TSCA
EINECS
Schedule I
Present
207-122-5

Standard for Uniform Scheduling of Medicines and

Poisons (SUSMP)

Benzoic acid

CERCLA/SARA Section 313 de minimus % Not Listed Hazardous Substances RQs 5000 lb California Proposition 65 Not Listed TSCA Present EINECS 200-618-2 AICS Present

BENZYL ALCOHOL

CERCLA/SARA Section 313 de minimus % Not Listed California Proposition 65 Not Listed TSCA Present EINECS 202-859-9 AICS Present

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Propylene glycol	RG 84	-
57-55-6		
Ethyl alcohol (ethanol)	RG 84	-
64-17-5		
BENZYL ALCOHOL	RG 84	-
100-51-6		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

Page 15 / 15

Product Name Diazepam Injection (Hospira, Inc.) Revision date 18-Mar-2023

Revision date 18-Mar-2023 Version 2

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Benzoic acid - 65-85-0	Use restricted. See item 75.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Plant protection products directive (91/414/EEC)

riant protection products directive (31/41-4/LLO)				
Chemical name	Plant protection products directive (91/414/EEC)			
Benzoic acid - 65-85-0	Plant protection agent			

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed. Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled. Reproductive toxicity-Cat.2; H361 - Suspected of damaging fertility or the unborn child. Specific target organ toxicity, repeated exposure-Cat.1; H372 - Causes damage to organs through prolonged or repeated exposure. Serious eye damage/eye irritation-Cat.1; H318 - Causes serious eye damage. Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation. Flammable liquids-Cat.3; H226 - Flammable liquid and vapor Hazardous to the aquatic environment, acute toxicity-Cat.2; H401 - Toxic to aquatic life Hazardous to the aquatic environment, chronic toxicity-Cat.2; H411 - Toxic to aquatic life with long lasting effects

Data Sources:The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reason for revision Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on

Ingredients. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section

16 - Other Information.

Revision date 18-Mar-2023

Prepared By Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.